

T6S-R6W-2<sup>nd</sup> Mer.

398	6	411	5	411	4	410	3	410	2	410	1	397
	411	409-411	409-411	409-411	409-410	409-410	409-410	409-410	410			
398	7	409	8	408	9	408	10	408	11	408	12	397
	407	407-409	407-409	407-408	407-408	407-408	407-408	407-408	407			
398	18	406	17	406	16	406	15	406	14	405	13	397
	404-407	405-406	405-406	405-406	405-406	405-406	405	405	405			
398	19	404	20	404	21	404	22	403	23	403	24	397
	402	402-404	402-404	402-404	402-403	402-403	403	403	403			
399	30	402	29	403	28	401	27	401	26	401	25	397
	400	400-403	400-402	400-402	400-401	400-401	400-401	401	401			
399	31	400	32	399	33	399	34	399	35	399	36	398
	463-465	463-465	463-465	463-465	463-465	463-465	464	464	464			

T7S-R6W-2<sup>nd</sup> Mer.

	413-416	413-416	413-415	414-415	414-415	414-415	414					
416	6	416	5	415	4	415	3	415	2	418	1	403
	417	418-419	418-419	418-419	418-419	418-419	418-419	418-419	418			
416	7	420	8	419	9	419	10	419	11	418	12	403
	420	420-422	420-422	420-422	420-421	420-421	421	421	421			
417	18	422	17	422	16	422	15	421	14	421	13	403
	423	423-424	423-424	423-424	423-423	423-423	423	423	423			
417	19	424	20	424	21	424	22	423	23			
	425	425-426	425-426	425-426	425-426	425-426	425	425	425			
417	30	426	29	426	28	426	27	425	26			
	427	427-428	427-428	427-428	427	427	427	427	427			
417	31	428	32	428	33	428	34	427	35			
	428-430	429	429	429	429	429	429	429	429			

Ohio R.

Meandered 439

Township N. 6. South of Range N. 6. West of the 2<sup>nd</sup> Mer.

- South On the East side of Sec. 1. On the East Range line:  
 30. 50 A Run 12. lks. wide. Course S. W. being 4 lks. Land on each side.  
 40. 00 Set a Post from which a B. Jack 11. in. diam. bears N. 149.  
 E. 54. lks. dist. & a B. Jack 18. in. diam. bears S. 119. W. 63. lks.  
 80. 00 Set a Post from which a B. Jack 18. in. diam. bears N.  
 31. E. 68. lks. dist. & a Hickory 8. in. diam. bears S. 16. W. 21.  
 lks. dist. The first 1/4 mile Poor hill Land & also the last  
 half. The rest. Briery Brushy Flats.

- South On the East side of Sec. 12.  
 3. 00 A Run 20. lks. wide. Course N. 20. W.  
 40. 00 Set a Post from which a W. Oak 8. in. diam. bears S. 24.  
 E. 24. lks. dist. & a W. Oak 6. in. diam. bears N. 8. E. 16. lks. dist.  
 80. 00 Set Post corner to Sec. 12. & 13. from which a B. Oak 24  
 in. diam. bears S. 74. W. 14. lks. dist. & a B. Oak 18. in. diam.  
 bears N. 55. W. 37. lks. dist. Gentle hills. Timber Oak  
 Hickory Dogwood &c. &c.

- South On the East side of Sec. 13. T. 5. R. 6. W.  
 40. 00 Set a Post from which a W. Oak 30. in. diam. bears N. 85.  
 W. 21. lks. dist. & a B. Jack 12. in. diam. bears S. 73. E. 25. lks.  
 80. 00 Set a Post corner to Sec. 13. & 24. from which a Soft Maple  
 20. in. diam. bears S. 1. E. 43. lks. dist. Good hill Land Oak &c.  
 & a Do. 20. in. bears N. 19. W. 58. lks. dist.

- South On the East side of Sec. 24.  
 40. 00 Set a Post from which a Hickory 11. in. diam. bears N. 60.  
 E. 57. lks. dist. & a B. Jack 16. in. diam. bears S. 60. W. 74. lks. dist.  
 80. 00 Set Post corner to Sec. 24. & 25. from which a Gum 18. in.  
 diam. bears N. 78. W. 30. lks. dist. & a B. Oak 24 in. diam.  
 bears S. 42. E. 45. lks. dist. Poor hill Land. Timber  
 Oak Hickory Gum, &c.

- South On the East side of Sec. 25.  
 40. 00 Set a Post from which a W. Oak 12. in. diam. bears N.  
 17. W. 32. lks. dist. & a W. Oak 30. in. diam. bears S. 28. E. 70. lks.  
 80. 00 Set Post corner to Sec. 25. & 36. from which a Hickory  
 10. in. diam. bears S. 30. W. 25. lks. dist. & a Do. 10 in. diam.

## T. P. C. S. R. No. 6. W. 2nd Mer.

bears N. 25. E. 56. lbs. dist. Good hill Land.

South On the East side of Sec. 36.

40. 00 Get a Post from which a Sweet Gum 18. in. diam. bears S. 62. E. 18. lbs. dist. & a W. Oak 10. in. diam. bears N. 62 W. 23 lbs. dist.

80. 00 Get Post corner to Towns 6. & 7. Range 5. W. & Towns 6. & 7. R. 6. W. from which a W. Oak 30. in. diam. bears N. 35. W. 56. lbs. dist. & a W. Oak 30. in. diam. bears S. 32. E. 32. lbs. dist. Cold. flats descending to the E.

South On the Range line W. side of Sec. 6. & Between R. 6. & 7. W.

40. 00 A Post from which a W. Oak 8. in. diam. bears S. 44. E. 29. lbs. dist. & a S. Gum 8. in. diam. bears N. 24 W. 25. lbs. dist.

80. 00 Get Post corner to Sec. 1. & 12. T. 6. S. R. 7. W. from which an Elm 18. in. diam. bears W. 78. E. 18. lbs. dist. & an Elm 8. in. diam. bears S. 61. W. 39. lbs. dist. Flat Land.

South On the West Range line W. side of Sec. 7.

40. 00 Get a Post from which a B. Oak 28. in. diam. bears S. 44. E. 25. lbs. dist. & a Dogwood 7. in. diam. bears N. 50. W. 29. lbs.

80. 00 Get a Post corner to Sec. 12 & 13. T. 6. S. R. 7. W. from which a Hickory 14. in. diam. bears N. 60. W. 24. lbs. dist. & a Gum 8. in. diam. bears S. 64. E. 28. lbs. dist. Good Upland.

South On the W. side of Sec. 18. West Range line.

40. 00 Get a Post from which a B. Oak 48. in. diam. bears N. 58. W. 99. lbs. dist. & a B. Oak 48. in. diam. bears S. 35. E. 39. lbs. dist.

50. 00 Get Post corner to Sec. 24 & 25. T. 6. S. R. 7. W. from which a W. Oak 20. in. diam. bears S. 55. W. 17. lbs. dist. & a W. Oak 10. in. diam. bears N. 84. E. 23. lbs. dist.

Flat Upland. Timber Oak &c.

South On the West side of Sec. 19.

40. 00 A W. Oak 17. in. diam. bears N. 70. E. 44. lbs. dist. & a W. Oak 30. in. diam. bears S. 81. W. 9. lbs. dist.

49. 00 A Gum p. bears N. 5. E. & S. 5. W. offset. 9. ch. W. & found it

T. No 6. S. Co. No 6. W. 2<sup>nd</sup> Sec.

Repaire run South to the Swamp.

80. 00 In the Swamp. 1<sup>st</sup> 49. chained level Upland. The rest Swamp

South On the W side of Cr. 30. T. 5. S. Co. 6. W.

40. 00 In the Swamp.

55. 00 The Edge of the Swamp.

62. 00 Another Swamp. bears E. & W.

80. 00 In the last mentioned Swamp. Offset E. & came to our line  
59. ch. S. of the Cr. Post.

South On the East side of Cr. 36. T. 6. S. Co. 7. W.

21. 00 Which with the above 59. ch. is 80 ch. from the last Cr. Post.  
Get Post corner to Towns 6. & 7. Range 6. & Towns 6. & 7. Co. 7.  
from which a H. Locust 12. in. diam. bears S. 26. E. 12. lbs.  
dist. & a Dogwood 6. in. diam. bears N. 52. W. 22. lbs. dist.

Low Flat Land. Timber Gum &c.

North Between Crs. 35. & 36. T. 6. S. Co. 6. W.

40. 00 Get a Post from which a Gum 8. in. diam. bears S. 14. E. 11.  
& an Ash 6. in. diam. bears N. 28. E. 21. lbs. dist.

80. 00 A Gum 14. in. diam. bears S. 9. lbs. dist. & a Gum 14. in. in  
diam. bears S. 46. E. 59. lbs. dist. Good level (Upland) Timber Oak &c.

North Between Crs. 34. & 35. T. 6. S. Co. 6. W.

40. 00 A Cr. Post from which a Dogwood 7. in. diam. bears S. 6.  
E. 8. lbs. dist. & a W. Oak 11. in. diam. bears N. 34. W. 26. lbs. dist.

80. 00 A Dogwood 8. in. diam. is. ; Corner to Crs. 34. & 35. 26. & 27.  
Rolling Land. Timber. Oak. & Dogwood.

North Between Crs. 33. & 34.

40. 00 Get a Post from which a S. Gum 18. in. diam. bears S. 25.  
W. 10. lbs. dist. & a S. Gum 20. in. diam. bears N. 25. E. 13. lbs. dist.

80. 00 Get Post corner to Crs. 27. 28. 33. & 34 from which a W.  
Oak in. diam. bears S. 71. W. 26. lbs. dist. & a Hickory 7. in.  
diam. bears N. 50. E. 6. lbs. dist. 1<sup>st</sup> note land. &c.

North Between Crs. 32. & 33. T. 6. S. Co. 6. W.



## T. Sp 6. G. B. Sp 6. W. 2nd Mer.

40. 00 Get a G<sup>r</sup> Cree. Post. from which an Elm 7. in? diam? bears G.  
44. W. 24 lbs. dist.  $\frac{1}{2}$  a B. Oak 6. in? bears N. 71. E. 21. lbs. dist.  
75. 25 A Creek 20. lbs. wide, course N. 80. W.  
80. 00 A Dogwood 6. in? diam? bears North 11. lbs. dist.  $\frac{1}{2}$  a W. Oak.  
16. in? diam? bears G. 10. W. 6 7. lbs. dist.; Good honey-Oak, etc.

North Between Cree. 31. & 32.

15. 00 East edge of a Swamp. N. E. 5. ch? wide.  
33. 00 East edge of the same Swamp, course N. E.  
40. 00 A Post in the Swamp.  
80. 00 A Poplar 20. in? diam? is borne to Cree. 29. 30. 31. & 32.  
Wet Swampy Land. Timber G. Gum.

West Between Cree. 30. & 31. T. G. G. B. G. W.

40. 00 An G. Elm—in? diam? bears G. 14 lbs. dist.  $\frac{1}{2}$  a s. Gum 11. in?  
in diam? bears N. 4. E. 11. lbs. dist.  
53. 00 A Swamp.  
98. 80 Cree. borne on Range line. (Supposed to be in a Swamp)  
Low clay Soil. Nov. 5<sup>th</sup> 1805.

East Between Cree. 29. & 32. T. G. G. B. G. W. On a Random line

40. 00 Temporary G<sup>r</sup> Cree. Post.  
80. 00 Intersecting N. & G. line. 50. lbs. S. of the Post. Rolling  
Land & Flats. Timber Oak etc.

East On a Random line Between Cree. 28. & 33.

40. 00 A Temporary G<sup>r</sup> Cree. Post.  
80. 00 Intersecting N. & G. line 20. lbs. S. of the Post. Rolling Land.

East On a Random line Between Cree. 27. & 34

40. 00 Get a temporary G<sup>r</sup> Cree Post.  
80. 00 Intersecting N. & G. line 67. lbs. S. of the Post, Land as the last.

East Between Cree. 26. & 35. On a Random line.

40. 00 Get Temporary G<sup>r</sup> Cree Post.  
62. 00 A Creek 50. lbs. wide, course G. 20. E.  
79. 50 Hit the Cree Post. Land the same as above; Low Flats.

- East Random Between Crs. 25 & 36. T. 5. S. R. 6 W.  
 40. 00 Get a Temporary Off Crs. Post.  
 80. 00 Intersecting N. & E. line. 30. lbs. N. of the Post. on Range line. Land & Timber the same as above.  
 West On true line.  
 40. 00 A Poplar 18. in. diam. bears S. 10. W. 16. lbs. dist. & a Poplar 19. in. diam. bears N. 10. E. 46. lbs. dist.

- North Between Crs. 25 & 26. T. 6. S. R. 6. W.  
 40. 00 Get Off Crs. Post. from which a W. Ash 8. in. diam. bears N. 21. W. 55. lbs. dist. & a Gum 8. in. diam. bears S. 15. E. 13 lbs. dist.  
 80. 00 Get a Post corner to Crs. 23. 24. 25. & 26. from which a Gum 10. in. diam. bears N. 39. E. 9. lbs. dist. & an Ash 12. in. diam. bears S. 4. W. 27 lbs. dist. Good land Upland.  
 Timber Oak &c. Nov 2nd 1805.

- West On true line between Crs. 26. & 35. T. 5. S. R. 6. W.  
 39. 75 A Dogwood 5. in. diam. for Off Crs. corner.

- North Between Crs. 26. & 27.  
 38. 50 A creek 50. lbs. wide course S. 50. W.  
 40. 00 Get a Off Crs. Post from which a Gum 7. in. diam. bears S. 17. W. 29 lbs. dist. & a W. Oak - in. bears N. 43. E. 24 lbs. dist.  
 50. 50 A creek 30. lbs. wide course N. W.  
 80. 00 A Dogwood 6. in. diam. is corner to Crs. 22. 23. 26. & 27. Good Upland & creek flats. Timber S. Gum. Oak &c. &c.

- West On true line between Crs. 27. & 34.  
 40. 00 A Dogwood 5. in. diam. bears North 10. lbs. dist. & a Dogwood 7. in. diam. bears South 66. lbs. dist.

- North Between Crs. 27. & 28. T. 6. S. R. 6. W.  
 40. 00 Get a Post from which a D. Oak 36. in. diam. bears S. 43. E. 23 lbs. dist. & a Dogwood 7. in. bears N. 45. W. 29 lbs. dist.  
 80. 00 A Dogwood 4. in. diam. is corner to Crs. 28. 27. 33. & 34. Land first rate Timber. Oak &c. &c.

T. N. C. G. R. N. C. W. 3<sup>rd</sup> Mer.

West On true line between Sec. 28 & 33.

40. 00 A Mulberry 9. in? diam? bears West 5. lbs. & a W. Oak 12.  
in? diam? bears N. 70. E. 50. lbs. dist

North Between Sec. 28 & 29. T. C. G. R. C. W.

40. 00 Get a Qr. Sec. Lost from which a B. Oak 18. in? diam? bears  
N. 29. W. 14 lbs. dist & a W. Oak 14 in? diam? bears S. 29. E. 8.  
50. 00 A Dogwood 4 in? diam? is corner to Sec. 20. 21. 28 & 29.  
Rather hilly, rising to the N. Timber. Oak &c.

West On true line Between Sec. 29 & 32.

40. 00 A B. Oak 9. in? diam? bears South 11. lbs. dist. & a B. Oak 9.  
in? diam? bears N. 4. E. 14 lbs. dist. Nov 3<sup>rd</sup> 1805.

North Between Sec. 29 & 30. T. C. G. R. C. W.

40. 00 A Loblolly 15. in? diam? for Qr. Sec. corner.  
76. 25 A brook 25. lbs. wide; course W.  
80. 00 A Gum 10. in? diam? bears north 6. lbs. dist. & a W. Oak  
13. in? diam? bears S. 60. E. 60 lbs. dist. corner to Sec.  
19. 20. 29 & 30. Flat Upland.

West On true line Between Sec. 19 & 30.

40. 00 A G. Elm 7. in? diam? bears S. 2. E. 11. lbs. dist. Jan Elm  
7. in? diam? bears N. 1. W. 46. lbs. dist.  
49. 00 A Swamp  
98. 90 To the Supposed Sec. corner, on range line in a Swamp.

East On a Random line Between Sec. 20 & 29.

40. 00 Get a Temporary Qr. Sec. Post.  
79. 00 Hit the Lost Rolling Land - Timber Oak &c.

East Between Sec. 21 & 28 on a Random line.

40. 00 Get Temporary Qr. Sec. Post.  
65. 00 A Brook 20. lbs. wide course South  
80. 00 Hit the Lost Land South hills.

East Between Sec. 22 & 27 on a Random line.

## T. No 6. S. B. No 6. W. 2nd Mer.

10. 50 A creek 16. Mts. wide course S.  
 40. 00 Get a Temporary Off. Sec. Post.  
 80. 00 Intersected at S. line. 24. Mts. N. of the Post. Land same.

- East Random line Between Sec. 23. & 26.  
 6. 00 A creek 12. Mts. wide; course S.  
 40. 00 Get a temporary Off. Sec. Post.  
 80. 00 Hit the Post Land the same as above

- East Random line Between Sec. 24. & 25. T. 6. S. B. 6. W.  
 40. 00 Get a temporary Off. Sec. Post.  
 80. 00 Intersected at S. line 17 Mts. S. of the Post.  
 West On true line.  
 40. 00 A W. Oak 8. in? diam? for Off. Sec. Corners.

- North Between Sec. 23. & 24. T. 6. S. B. 6. W.  
 40. 00 Get a Post from which a B. Oak 36. in? diam? bears S. 19 E.  
 26. Mts. dist. & a B. Oak 18. in? diam? bears N. 49. W.  
 80. 00 Get a Post. from which a W. Oak 20. in? diam? bears S. 44 E.  
 34. Mts. dist. & a Dogwood 7. in? diam? bears N. 56. W. 28. Mts. dist.  
 Good level Upland.

- West On true line Between Sec. 23. & 26. T. 6. S. B. 6. W.  
 40. 00 A S. Gum 8. in? diam? bears S. E. 16. Mts. dist. & a Gum  
 8. in? diam? bears N. 1. W. 46. Mts. dist.

- North Between Sec. 22. & 23. T. 6. S. B. 6. W.  
 2. 50 A creek 15. Mts. wide; course E.  
 40. 00 Get Off. Sec. Post. from which a Dogwood 7. in? diam? bears  
 N. 33. W. 23. Mts. dist. & a Dogwood 7. in? diam? bears S. 61. E. 28. Mts. dist.  
 80. 00 A Cherry 18. in? diam? is borne to Sec. 14. 15. 22 & 23. & a  
 Cherry 10. in? diam? bears S. 10. W. 49. Mts. dist. Good Upland.  
 Timber. Great Gum &c. &c.

- West On true line Between Sec. 22. & 27. T. 6. S. B. 6. W.  
 40. 00 A B. Oak 10. in? diam? bears West 11. Mts. dist. Off. Sec. Corner



T. No 6. S. C. No 6. W. 2<sup>nd</sup> Mer.

North Between Sec. 21 &amp; 22.

33. 50 A Run 50. lbs. wide. Course S 80. E.  
 40. 00 Set a Port from which a B. Jack 20 in. diam. bears S 41. W.  
 39. lbs. dist. & a B. Jack 11. in. diam. bears N 66. E. 36 lbs. dist.  
 60. 00 A Dogwood 5. in. diam. bears N. 13. lbs. dist. & a D. 6. in. diam.  
 bears S. 1. W. 14. lbs. dist. Corner to 15. 16. 21 & 22. Land is  
 mostly level; Cold soil. Timber S. Gum. &c.

West On true line between Sec. 21 &amp; 28.

40. 00 A Dogwood 4. in. diam. bears South 4. lbs. dist. & a W Oak  
 20. in. diam. bears S. E. 100. lbs. dist.  
 50. 00 To Sec. corner

North Between Sec. 21 &amp; 21. T. 6. S. C. 6. W.

40. 00 Set a G. Oak Port from which a W. Oak 34 in. diam. bears  
 N. 76. W. 46. lbs. dist. & a Poplar 36 in. diam. bears N. 74. E. 30. lbs. dist.  
 75. 00 A creek 5. lbs. wide; Course N. 60. W.  
 80. 00 A Port corner to Sec. 13. 14 23. & 24. from which a Hick<sup>y</sup>.  
 8. in. diam. is the corner. Land note hill land rising to the N.

West On true line Between Sec. 19 &amp; 20.

39. 50 A Hickory 16. in. diam. is corner & a Hickory 16. in. diam.  
 bears S. 10. W. 69 lbs. dist.

North Between Sec. 19 &amp; 20. T. 6. S. C. 6. W.

21. 00 A creek 20. lbs. wide. Course W.  
 40. 00 A Port. from which a Maple 10. in. diam. bears N. 85. E. 14.  
 lbs. dist. & a Dogwood 4. in. diam. bears N. 51. W. 19. lbs. dist.  
 80. 00 A Dogwood 3. in. diam. bears North 20. lbs. dist. & a W. Oak  
 12. in. diam. bears S. 80. W. 75. lbs. dist. from the corner to Sec. 17.  
 18. 19 & 20. Rolling hill land. Timber Oak &c.

East On a random line between Sec. 18 &amp; 19.

60. 00 A Temporary G. Oak Port.  
 77. 00 A Run 10. lbs. wide. Course S. 15. W.  
 100. 00 Fell. 32. lbs. S. of the Port. on the N. & E. line Good hill  
 land. Timber. Oak. Dogwood &c.

T. N. C. G. B. N. C. W. 2<sup>nd</sup> Mer.

- East On a Random line Between Sec. 17. & 20.  
 40. 00 Set a Temporary Op. Sec. Post.  
 80. 00 Fell 50. lbs. S of the Post on the N. & G. line. Land the same

- East On a Random line Between Sec. 16. & 21.  
 40. 00 Set a Temporary Op. Sec. Post.  
 80. 40 Fell 40. lbs. S of the Post. on the N. & G. line. Good Rolling hill Land; Timber Oak, Dogwood & Vc. Vc.

- East On Random line Between Sec. 15. & 22. T. N. C. G. B. N.  
 40. 00 Set a Temporary Op. Sec. Post.  
 80. 30 Fell 37. lbs. S of the Post. on the N. & G. line. Land ditto.

- East Random between Sec. 14. & 23.  
 40. 00 Set a Temporary Op. Sec. Post.  
 68. 00 A Run 15. lbs. wide. Course S. W.  
 80. 00 Fell 79. lbs. S. of the Post. Land good Rolling hill. Oak &c.

- East Random line Between Sec. 13. & 24. T. N. C. G. B. N.  
 40. 00 Set a Temporary Op. Sec. Post.  
 80. 37 Intersecting E. Range line S. & W. S of the Post. mistook some compass as it was not. Land run it again & found it only 104. lbs. Land. Good Rolling hill. Vc. Timber Oak. Dogwood, &c.

West On the true line.

40. 00 A Poplar 12 in. diam. for 1/4 Sec. corner. Nov 6<sup>th</sup> 1805.

- North Between Sec. 13. & 14. T. N. C. G. B. N.  
 40. 00 Set a Post. from which a W. Oak 18. in. diam. bears S. 30. W. 27. lbs. dist. & a B. Yack 10. in. diam. bears N. N. W. 24. lbs.  
 80. 00 Set Post corner to Sec. 11. & 12. 13. & 14. from which a B. Oak 18. in. diam. bears N. 5. W. 21. lbs. dist. & a Shrub Oak 10. in. diam. bears S. 52. W. 31. lbs. dist. 1<sup>st</sup> half good hill Land. Under the river. 2<sup>nd</sup> half not so good.

- West On true line Between Sec. 14. & 23.  
 40. 00 A Dogwood 6. in. in diam. bears West 10. lbs. dist. & a D. 6. in. diam. bears E. 46. lbs. dist.

T. G. S. R. C. W. 2<sup>nd</sup> Min.

80 00 To Ch. Corner

---

North Between Sec? 14 & 15. T. G. S. R. C. W.40. 00 Set a Off? Sec. Post. from which a Y. Oak 14 in? diam? bears  
S 87. E. 8. lks. dist? & a Hickory 8. in? diam? bears S 74. W. 20 lks.80. 00 Set a Post corner to Sec? 10. 11. 14 & 15. from which a W. Oak.  
15. in? diam? bears N. 14. W. 15. lks. dist? & a W. Oak 13. in? in  
diam? bears S 4. W. 22 lks. dist? Rolling hill Sand. Oak &c.

---

West On true line Between Sec? 15. & 22.

110. 00 A Gum 8. in? diam? is corner to Off? Sec.

---

North Between Sec? 15. & 16 T. G. S. R. C. W.

40. 00 Set a Post. from which a W. Oak 22 in? diam? bears N 75.

W. 54 lks. dist? &amp; a Y. Oak 20. in? diam? bears N. 75. E. 55. lks. dist.

80. 00 Set a Post corner to Sec? 9. 10. 15. & 16. from which a W. Oak  
10. in? diam? bears S 43. W. 22 lks. dist? & a W. Oak 14 in? diam?  
bears N. 24. E. 40. lks. dist? Sand the same as above.

---

West On true line Between Sec? 16. & 21.40. 00 A W. Oak 20. in? diam? bears West 20. lks. dist? & a W. Oak  
33. in? diam? bears N. 70. E. 49. lks. dist?

---

North Between Sec? 16. & 17 T. G. S. R. C. W.

40. 00 Set a Off? Sec. Post from which a Hickory 13. in? diam? bears

North 12 lks. dist? &amp; a Y. Oak 14 in? diam? bears S 6. E. 35. lks. dist.

54. 00 at Run 10. lks. wide Course N 60. W.

80. 00 Set Post corner to Sec? 8. 9. 16. & 17. from which a Hickory. 6  
in? diam? bears North 10 lks. dist? & a B. Oak in? diam? bears  
S 10. W. 48. lks. dist? Very hilly Off? Sec. post on a high hill.

---

West On true line Between Sec? 17. & 20. T. G. S. R. C. W.

40. 00 Set a Off? Sec. Post from which a Dogwood 6. in? diam? bears

West 10. lks. dist? & a B. Oak 11. in? diam? bears S 10. W 67  
lks. dist. Nov 7. 1865.

---

North Between Sec? 17. & 18. T. G. S. R. C. W.

T. N. C. S. R. N. C. W. 2<sup>nd</sup> Mer.

40. 00 Get a G<sup>r</sup>. Gre Post, from which a Gum 3. in? diam? bears West 20. lbs. dist. & a B. Oak 17. in? diam? bears N. 11. W. 21. lbs. dist.
50. 00 Post corner to Gre? 7. 8. 17. & 18. from which a Hickory 7. in? diam? bears North 7. lbs. dist. & a W. Oak 16. in? diam? bears S. 10. E. 40. lbs. dist. Nothing hill Land Timber. Oak. &c. good soil.
- 
- West On true line Between Gre? 18. & 19.
40. 00 A Hickory 15. in? diam? bears West 50. lbs. dist. & a B. Oak 11. in? diam? bears S. 10. W. 40. lbs. dist.
98. 90 Gre corner on Range line.
- 
- West Between Gre? 7. & 18. T. C. S. R. C. W.
50. 00 descended a hill.
40. 00 A B. Jack 10. in? diam? is corner to G<sup>r</sup> Gre.
98. 98 20. lbs. S. of the Post. on R. line a W. Oak 10. in? diam? for the corner. Low & bold Gang.
- 
- East Random Between Gre? 8. & 17. T. C. S. R. C. W.
21. 10 A truck 25. lbs. wide board &c.
40. 00 Get a Temporary G<sup>r</sup>. Gre Post.
74. 30 Set the Post on the N. & S. line. Low & most Land.
- 
- East On Random line between Gre? 9. & 16.
40. 00 a Temporary G<sup>r</sup>. Gre Post. Land hilltop.
81. 00 Set the Post on the N. & S. line; Over a chain of hills.
- 
- East Random line Between Gre? 10. & 15.
40. 00 Get a Temporary G<sup>r</sup>. Gre Post.
80. 00 Set the Gre Post on the N. & S. line; gentle hills; W. & B. Oak. Elm &c.
- 
- East Random between Gre? 11. & 14.
40. 00 Get a Temporary G<sup>r</sup>. Gre Post.
80. 00 Set 50. lbs. South of the Post on the N. & S. line; gentle hills, Oak &c.
- 
- East Random line Between Gre? 12. & 13. T. C. S. R. C. W.
40. 00 A Temporary G<sup>r</sup>. Gre Post in a thicket.
80. 50 Set 30. lbs. S. of the Post on the E. Range line.



## S. M. C. S. R. No 6. W. 2nd Mer.

West On true line  
40. 25 In a Hurst thicket no timber for bearings. Nov 8<sup>th</sup> 1805

North Between Sec<sup>s</sup> 11. & 12. T. 6. S. R. 6. N.  
40. 00 Set a Post from which a B. Oak 18. in<sup>d</sup> diam<sup>r</sup> bears S. 50. E. 28. lbs. dist. & a Hickory 7. in<sup>d</sup> diam<sup>r</sup> bears North 15. lbs. dist.  
50. 00 Set Post corner to Sec<sup>s</sup> 1. 2. 11. & 12. from which a Y. Oak 7. in<sup>d</sup> diam<sup>r</sup> bears S. 60. E. 5. lbs. dist. & a Y. Oak 8. in<sup>d</sup> diam<sup>r</sup> bears S. 55. W. 12. lbs. dist. Goodhill Land Timber, Oak, Dogwood,

West On true line between Sec<sup>s</sup> 11. & 14.  
40. 00 A B. Oak 18. in<sup>d</sup> diam<sup>r</sup> bears North 10. lbs. dist. & a B. Oak 18. in<sup>d</sup> diam<sup>r</sup> bears S. 70. E. 46. lbs. dist.

North Between Sec<sup>s</sup> 10. & 11.  
40. 00 Set a Y<sup>e</sup> Sec. Post. from which a W. Oak 7. in<sup>d</sup> diam<sup>r</sup> bears N. 80. W. 65. lbs. dist. & a W. Oak 12 in<sup>d</sup> diam<sup>r</sup> bears East 36 lbs.  
50. 00 Set Post corner to Sec<sup>s</sup> 3. 4. 10. 11. from which an Elm 18. in<sup>d</sup> diam<sup>r</sup> bears N. 66. E. 20. lbs. dist. & an Elm 9. in<sup>d</sup> diam<sup>r</sup> bears N. 27. W. 24 lbs. dist. 1<sup>st</sup> half Oak hills. 2<sup>nd</sup> half lousen.

West On true line Between Sec<sup>s</sup> 10. & 15.  
40. 00 A Gum 4. in<sup>d</sup> in diam<sup>r</sup> for Y<sup>e</sup> Sec. corner.

North Between Sec<sup>s</sup> 9. & 10. T. 6. S. R. 6. N.  
40. 00 Set a Y<sup>e</sup> Sec Post from which a B. Walnut 8. in<sup>d</sup> diam<sup>r</sup> bears S. 62. W. 28. lbs. dist. & a Hickory 6. in<sup>d</sup> diam<sup>r</sup> bears N. 45. E. 7. lbs. dist.  
50. 00 A Hickory 15. in<sup>d</sup> diam<sup>r</sup> bears South 11. lbs. dist. & a D<sup>o</sup> 16. in<sup>d</sup> diam<sup>r</sup> bears North 46 lbs. dist. from the corner to Sec<sup>s</sup> 3. 4. 9. & 10. Rolling hill Land.

West On true line between Sec<sup>s</sup> 9. & 16. T. 6. S. R. 6. N.  
40. 00 A W. Oak 10. in<sup>d</sup> diam<sup>r</sup> bears N. 49. lbs. dist. & a W. Oak 10. in<sup>d</sup> diam<sup>r</sup> bears S. 49 lbs. dist.

North Between Sec<sup>s</sup> 9. & 9. T. 6. S. R. 6. N.

- 40 00 Set a Off. Sec. Post. from which a Hickory 8. in. diam. bears  
N. 30. E. 27. lbs. dist. & a B. Oak 30. in. diam. bears N. 40. E. 34. lbs.  
50 00 A Hickory 14 in. diam. bears North 10. lbs. dist. & a Do.  
16. in. diam. bears S. 2. E. 49. lbs. dist. Rolling hill Land.

West On true line Between Sec. 8 & 17.

39. 65 A Dogwood 5. in. diam. is corner to Off. Sec.  
79. 30 Sec. corner.

North Between Sec. 7 & 8. S. 5. S. R. C. W.

40. 00 Set a Off. Sec. Post. from which a Mulberry 5. in. diam.  
bears S. 53. E. 36. lbs. dist. & a S. Gum 15. in. diam. bears N. 53  
W 18. lbs. dist.  
53. 00 A Creek 20. lbs. wide course N.  
50. 00 A Dogwood 6. in. diam. bears S. 2. W. 7. lbs. dist. & a Do. 7.  
in. diam. bears N. 2. E. 46. lbs. dist. Rolling hill Land.  
Timber. Oak. Dogwood &c. Mer 9th 1805.

East Random between Sec. 5 & 8.

39. 50 A temporary Off. Sec. Post.  
79. 00 Hit the Post on the N. & S. line. Land same; Oak. &c. &c.

East Random between Sec. 4 & 9. S. 6. S. R. C. W.

- 40 00 A temporary Off. Sec. Post.  
50. 50 A Creek 19. lbs. wide course N.  
50 50 Hit the Post on the N. & S. line. Rolling Land Oak Dogwood &c.

East On a Random line Between Sec. 3 & 10.

40. 00 A Temporary Off. Sec. Post.  
59. 00 A Creek 20. lbs. wide; course N. 40. W.  
50. 00 Hit the Post on the Range line. Brushy Brushy Land.  
Timber. Dogwood Shrub Oak &c. &c.

East Random between Sec. 2 & 11. S. 6. S. R. C. W.

40. 00 A Temporary Off. Sec. Post.  
79. 50 Hit 40. lbs. S. of the Post. Brushy, Brushy, Land

## S. No 6. G. B. No 6. W. 2nd Mer.

East Bounden Between Sec<sup>s</sup> 1 & 12. T. C. G. B. C. W.  
 40. 00 A Temporary G<sup>o</sup> Che Post.  
 65. 00 A Run 20. lks. wide; Course N.  
 80. 40 Fall. 70. lks. S. of the Post. Brushy Land. &c.

West On true line  
 40. 20 A Spanish Oak 20. in? diam? for G<sup>o</sup> Che. corner.

North Between Sec<sup>s</sup> 1 & 2. T. C. G. B. C. W.  
 40. 00 Get a Post. from which a W. Oak. 8. in? diam? bears S. 34.  
 E. 27. lks. dist. & a W. Oak. 7. in? diam? bears N. 30. W. 15.  
 lks. dist.  
 79. 80 Intersecting Town line at the Post. & Marked Corners.  
 1<sup>st</sup> half rolling Land 2<sup>nd</sup> half Brushy Barren's

West On true line between Sec<sup>s</sup> 2 & 11.  
 39. 75 A Hickory 6. in? diam? bears West 11. lks. dist. & a P. 7. in?  
 diam? bears E. 10. lks. dist.

North Between Sec<sup>s</sup> 2 & 3. T. C. G. B. C. W.  
 40. 00 Get a G<sup>o</sup> Che Post from which a W. Oak 20. in? diam?  
 bears N. 69. W. 9. lks. dist. & a W. Oak 8. in? diam? bears N.  
 65. E. 39. lks. dist. A Brushy Barren  
 80. 00 Intersecting Town line at Post. where an O. Oak 15. in?  
 diam? bears N. 24. W. 33. lks. dist. & a Hickory 10. in. in  
 diam? bears S. 9. E. 40. lks. dist. from corner to T & 3.  
 through heavy Barrens

West On true line between Sec<sup>s</sup> 3 & 10. T. C. G. B. C. W.  
 40. 00 Get a G<sup>o</sup> Che Post where a Dogwood 6. in? diam? bears West  
 8. lks. dist.

North Between Sec<sup>s</sup> 3 & 4. T. C. G. B. C. W.  
 40. 00 Get a G<sup>o</sup> Che Post from which a W. Oak 40. in? diam?  
 bears S. 55. E. 9. lks. dist. & a Hickory 14. in? diam? bears  
 N. 55. W. 17. lks. dist.  
 74. 80 Intersecting Town line at the Post. from which a bracketed.

T. No 6. S. R. No 6 W 2<sup>nd</sup> Mer.

411

W. Oak 36. in. diam. is Corner to Sec. 3 & 4 1<sup>st</sup> rate  
Land. Timber. Oak &c.

West On true line between Sec. 1 & 9.

40. 25 A S. Gum 10. in. diam. bears North 10. lbs. dist. & S. Gum 11.  
in. diam. bears S. 76. W 39. lbs. dist.

North Between Sec. 4 & 5. T. C. S. R. C. W.

40. 00 A Gum 10. in. diam. is corner to 1/2 Sec.

79. 88 Town line 65. lbs. West of the Post. Set Post corner to Sec.  
4 & 5. from which an Elm 10. in. diam. bears N. 8. W. 26. lbs.  
dist. & a R. Oak 36. in. diam. bears S. 13. W. 20. lbs. dist.  
2<sup>nd</sup> rate Upland.

West On the true line Between Sec. 5 & 8.

39. 50 A W. Oak 5. in. diam. bears South 7. lbs. dist. & a W. Oak 11.  
in. diam. bears S. 76. E. 10. lbs. dist.

West Between Sec. 6 & 7. T. C. S. R. C. W.

40. 00 An Elm 14. in. diam.

79. 00 A buck 19. lbs. wide. Course N. 60. W. For water.

98. 09 Intersecting Range 100. lbs. N. of the Post. Set Post corner  
to Sec. 6 & 7. from which a Gum 18. in. diam. bears N. 8. E. 19.  
lbs. dist. & a Hickory 15. in. diam. bears S. 23. W. 19. lbs. dist.

North Between Sec. 5 & 6 T. C. S. R. C. W.

40. 00 A Dogwood 7. in. diam. bears S. 2. W 5. lbs. dist.

79. 90 Town line 20. lbs. E. of the Post. Set Post corner to Sec.  
5 & 6. from which an Ash 10. in. diam. bears S. 85. E. 17.  
lbs. dist. & a Populus 6. in. diam. bears N. 31. W 28. lbs. dist.  
2<sup>nd</sup> rate Upland. Nov 11<sup>th</sup> 1805.

Surveyed by Augustus Stone.



I Certify that the foregoing transcript of field notes of Township  
N. 6 South, of Range N. 6 W. of the 2<sup>d</sup> Mer. Indiana, has been compared  
with the original notes in this office, and found to be correct.

Surveyor General's Office

Cincinnati, Oct. 1<sup>st</sup> 1839

W. D. Lewis Sur. Genl.

## T. 1 S. R. 6 W. 2. Mer. Indiana

19. 86 a Hickory 12 in. dia.
40. 00 Set the q. Sec. post, from which  
 a P. Oak 12 in. dia. bears S 78 W 16 lks. dist. x  
 a Hickory 14 " " " S 85 E 30 " "
54. 24 a Hickory 12 in. diameter
80. 00 Set a post Cor. to T. 1 S. 18 W. Range 6 W. from which  
 a Hickory 10 in. dia. bears N 38 W 14 lks. dist. x  
 a P. Oak 12 " " " N 55 E 24 " "
- This mile level Oak timbered land. Oct. 15. 1804  
 Surveyed by Ebenezer Buckingham, D. S.  
 Comp.
- 

Township N. 6 South, of Range N. 6 W. 2. Mer. Indiana  
 South Boundary

- East On Random between Sec. 6 & 31, T. 5 S. 6 W. Range 6 W
58. 37 Set temp. q. Sec. post
90. 87 down a steep bank about 1.50 lks. to a swamp 8 chains  
 wide brushy & very miry
98. 37 Set temp. mile post.  
 1. 1/2 mile low flat clay land. 2. 1/2 rolling hill &c.
- 

- East On Random between Sec. 5 & 32, T. 5 S. 6 W. Range 6 W
25. 00 Came in sight of swamp off south
40. 00 Set temp. q. Sec. post
80. 00 Set temp. mile post.  
 First 60 chains low flat clay land, the balance rolling  
 hill land.
- 

- East On Random between Sec. 4 & 33, T. 5 S. 6 W. Range 6 W
40. 00 rising to the E. land rolling hill land - Set temp. q. Sec. post
80. 00 Set temp. mile post on top of high hill
- 

- East On Random between Sec. 3 & 34, T. 5 S. 6 W. R. 6 W
30. 00 top of high hill, poor Oak land, good building stone oak timber.

## S 6 S. R 6 W. T. Mer. Indiana

- 40.00 Set temp. q. Sec. post, Creek flats & gentle hills  
 78.60 a Creek 30 lks. wide Cr. N 20 E  
 80.00 Set temp. Sec. post  
 Good hill land Oak &c.

- East On Random between Sec. 2 & 35, T. 56 N, R. 6 W  
 6.00 a run 50 lks. wide Cr. South  
 7.00 a do " " " North  
 29.25 a run 50 " " " South  
 29.50 do " " " N 88 E with some stone in its banks  
 40.00 Set temp. q. Sec. post  
 80.00 Set temp. Sec. post  
 Good hill land Oak &c.

- East On Random between Sec. 1 & 36, T. 56 N, R. 6 W  
 29.50 a run 12 lks. wide Cr. S 20 W  
 40.00 Set temp. q. Sec. post  
 80.50 Intersected R. line 1.00 lks. S. of post

- West On true line between Sec. 1 & 36, T. 6 N, R. 6 W  
 40.00 a Poplar 20 in. dia. q. Sec. Cor.  
 50.50 a run 12 lks. wide Cr. S 20 W  
 54.00 a do 20 " " " S 20 E  
 80.00 Set a post Cor. to Sec. 1 & 2, T. 7 N, Sec. 35 & 36, T. 6 N, R. 6 W, from which  
 a W. Oak 4 in. dia. bears N 30 W 44 lks. dist. &  
 a Gum 11 " " " S 40 E 44 " "

- West On true line betw. Sec. 2 & 35, T. 56 N, R. 6 W  
 10.00 a run 50 lks. wide Cr. South good running water  
 40.00 Set q. Sec. post (on bend of Creek 30 lks. wide Cr. N. W.) from which  
 a W. Ash 5 in. dia. bears S 56 W 46 lks. dist. &  
 a Gum 6 " " " N 72 E 33 " "  
 80.00 Set a post Cor. to Sec. 2 & 3, T. 7 N, Sec. 34 & 35, T. 6 N, R. 6 W  
 (Bearing trees Omitted)

- West On true line betw. Sec. 3 & 34, T. 56 N, R. 6 W

## T6 S 126 W. T. Mer. Indiana

- 40.00 a W. Ash 6 in. diam. q. Sec. Cor.  
 80.00 Set a post, Cor. to Sec. 5 & 4, T7 S. & Sec. 33 & 34, T6 S. 126 W. from which  
 a W. Oak 24 in. diam. bears N 79 E 41 lks. dist. &  
 a Dogwood 5 " " " S 36 W " "  
 Good upland Oak &c.

- Nest On true line betw. Sec. 4 T7 S. & 33 T6 S. 126 W  
 40.00 Set the q. Sec. post, from which  
 a W. Ash 14 in. diam. bears N 56 W 37 lks. dist. &  
 a W. Oak 18 " " " S. E. 6 " "  
 80.00 a Hickory 14 in. diam. Cor. to Sec. 4 & 5, T7 S. & Sec. 32 & 33  
 T6 S. 126 W

- Nest On true line betw. Sec. 5, T7 S. & 32, T6 S. 126 W  
 40.00 Set the q. Sec. post, from which  
 a Cottonwood 30 in. diam. bears N 38 E 19 lks. dist. &  
 a Soft Maple 24 " " " S 68 W 13 " "  
 80.00 Set a post Cor. to Sec. 5 & 6, T7 S. & Sec. 31 & 32, T6 S. 126 W, from which  
 a Soft Maple 12 in. diam. bears N 74 W 18 lks. dist. &  
 a Do - " " " N 86 E 17 " "  
 October 7<sup>th</sup> 1875

- Nest On true line between Sec. 6, T7 S. & Sec. 31, T6 S. 126 W  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 20 in. diam. bears N 24 E 20 lks. dist. &  
 a Poplar 23 " " " S 5 E 32 " "  
 98.62 Township Corner  
 Cold Swampy land  
 Surveyed by Augustus Stone, Dep. Sur.

Comp



I Certify that the foregoing transcript of field notes of  
Township lines south of the Base line, & West of the 2<sup>d</sup>.  
Principal Meridian, Indiana, has been compared with  
the original notes in this office, and found to be correct.  
Surveyor General's Office  
Cincinnati, Oct. 1<sup>st</sup> 1846.

W. B. Lewis Sur. Genl.